

VeHICaL: Verified Human Interfaces, Control, and Learning for Semi-Autonomous Systems

S. A. Seshia, R. Bajcsy, T. Griffiths, B. Hartmann, S. S. Sastry, C. Tomlin (Berkeley), R. Murray (Caltech), C. Sturton (UNC Chapel Hill)

Caltech





Annual Meeting October 4, 2018



Human Cyber-Physical Systems (h-CPS)

CPS that operate in concert with humans



Driver Assistance in Cars



Robotic Surgery & Medicine




Fly-by-wire Cockpit
Interfaces



UAVs with Human Operators



Semi-Autonomous Manufacturing





Overall Project Objective of VeHICaL

To develop a science of verified co-design of controllers for semi-autonomous cyber-physical systems and interfaces between humans and cyber-physical components

S. A. Seshia 4



Motivating Applications

Semi-Autonomous Automobiles

TECHNOLOGY

The New York Times



The 15-Point Federal Checklist for Self-Driving Cars

By CECILIA KANG SEPT. 20, 2016

A Lesson of Tesla Crashes? Computer Vision Can't Do It All Yet

Semi-Autonomous UAVs

FAA Expects 600,000 Commercial Drones In The Air Within A Year

August 29, 2016 · 3:10 PM ET n p r



HOW TO ACE THE FAA'S NEW TEST AND BECOME A PRO DRONE PILOT



Sensing & HMI Design










Security & Privacy











System-level Integration & **Validation**

















Four Project Thrusts

- 1. Specification and Modeling
- 2. Learning, Verification, and Control
- 3. Human-Machine Interface Design & Verification
- 4. Testbed and Evaluation

Vet-HiCaC

Some Major Unsolved Problems to be Tackled:

- Effective Sharing of Control between Human and Autonomous Controller
- Modeling Human Cognition, Perception, and Action, and developing Sensing Strategies to infer and evaluate such models
- Uncertainty in h-CPS Dynamics and in Modeling: need new techniques blending Verification, Learning, and Control
- Verifiable Human-Computer Interface Design integrated with Control System Design
- Privacy-preserving Learning of Models of h-CPS

S A Seshio

Vet-liCaC

Some Major Unsolved Problems to be Tackled:

- Effective Sharing of Control between Human and Autonomous Controller
- Modeling Human Cognition, Perception, and Action, and developing Sensing Strategies to infer and evaluate such models
- Uncertainty in h-CPS Dynamics and in Modeling: need new techniques blending Verification, Learning, and Control
- Verifiable Human-Computer Interface Design integrated with Control System Design
- Privacy-preserving Learning of Models of h-CPS

S A Seshia

Learning and Teaching in Human-Robot

Vet-liCal

Teams [PIs: Griffiths, Seshia]

Good Communication is Crucial

Demonstrations, Natural Language



Cost Functions, Logical Specs.

• • •

Boolean (logic) specifications:


- Composable
- Non-Markovian tasks
- Leverage formal methods


How can we hand off control reliably and intuitively?

Learning Boolean Specifications from Demonstrations

Target Specification:

Go to a yellow tile without going on a red tile. If a blue tile is steped on, step on a brown tile before stepping on a yellow tile





Communicating Task


Doing Task

[Vazquez-Chanlatte, Ho, et al., NIPS'18; CPHS'18]


Modeling Supervisor Safe Sets for Human-



Robot Teams




[PIs: Sastry, Tomlin, Griffiths]




Human reasoning may well be explicable by safe sets: perhaps conservative ones.

User Study: robots avoiding obstacles

- Phase 1: Familiarization
- Phase 2: Intervention Data Collection
- Phase 3: Human Robot Teaming Tasks




[D. McPherson, D. Scobee, J. Menke, A. Yang and S. Sastry, IROS 2018]



Control Improvisation for Vehicle Modeling



& Control



4000

3000


2000

1000

[PIs: Murray]

[Ge et al., CDC 2018]

- Synthesize Markov models for human-driven cars satisfying:
 - Hard constraints
 - No collisions between humans
 - Cars drive forward
 - Soft constraints
 - Concentration of relative distance, speed,
 and acceleration based on traffic conditions




10

(a)

- Randomness (a motion sequence is repeated with low probability)
- Verify that lane-change decision-maker satisfies:



- No collisions due to lane change
- Next lane is faster
- Soft constraints
 - a) Number of lane changes during a period of time
 - b) Time between two consecutive lane changes
- Randomness (repeat the same decision sequence with low probability)



Vet-liCal

Some Major Unsolved Problems to be Tackled:


- Effective Sharing of Control between Human and Autonomous Controller
- Modeling Human Cognition, Perception, and Action, and developing Sensing Strategies to infer and evaluate such models
- Uncertainty in h-CPS Dynamics and in Modeling: need new techniques blending Verification, Learning, and Control
- Verifiable Human-Computer Interface Design integrated with Control System Design
- Privacy-preserving Learning of Models of h-CPS

S A Seshia

Probabilistically Safe Motion Planning around





People [PI: Tomlin]



Fast and Safe Tracking (FaSTrack)

> A Scalable Framework for Real-time, Multi-Robot, Multi-Human Collision Avoidance










[PIs: Murray, Seshia]

First Scalable, Compositional approach to Temporal Logic Falsification of Learning-Based CPS [Dreossi et al., NFM'17, RMLW'17, CAV'18]

SCENIC: Probabilistic Language for Environment Modeling [Fremont et al., '18]



Counterexample-guided data augmentation [Dreossi et al., IJCAI'18]



Some Major Unsolved Problems to be Tackled:

- Effective Sharing of Control between Human and Autonomous Controller
- Modeling Human Cognition, Perception, and Action, and developing Sensing Strategies to infer and evaluate such models
- Uncertainty in h-CPS Dynamics and in Modeling: need new techniques blending Verification, Learning, and Control
- Verifiable Human-Computer Interface Design integrated with Control System Design
- Privacy-preserving Learning of Models of h-CPS


S A Seshia

Vibro-Acoustical Approach to Driver Interfaces



[PI: Ruzena Bajcsy]

The passengers, the driver and the vehicle should be treated as components of a vibro-acoustic system.




Psychoacoustic Indices

Humans and the psychoacoustic properties:


- Fluctuation (F) and Roughness (R): modulated signal has a higher roughness and fluctuation and is considerably more unpleasant;
- Sharpness (S): depends on the spectral composition.
- Loudness (L): takes into account the distributions of critical bands in the human hearing.

Experiments and Results

Psychoacoustic annoyance measured in different configurations of the window status and cruise speed. Red curve depicts when the window is open and the blue curve when window is closed.



Rounds where there was noise, and the window's state was open (red circles).



[Nascimento et al., IROS'18]



Education and Outreach

- New courses at the Jacobs Institute of Design Innovation (Hartmann)
- Girls in Engineering summer outreach program (Tomlin, Hager-Barnard)
- NHTSA Engagement on defining a testing methodology for autonomous vehicles (report just published this week)
- Participation in NSF Workshop on Semi-Autonomous Trucks (Seshia)
- International Collaborations: Slovakia, India, Brazil (Bajcsy)

• ...

Education Activities




[PI: Hartmann]

DES INV 190: Reimagining Mobility



Jacobs Institute for Design Innovation

CS 294-137: AR/VR and Immersive Computing



AR/VR Lab in Blum Hall

In Conclusion:



Key Envisioned Contributions to CPS Science

- Developing a Science of Co-Design of Human Interfaces and Control
 - Turning design of h-CPS from an art to a science by systematic design and verification of human interfaces
- Making Uncertainty a first-class citizen in Verification and Control
 - New algorithms and models to deal with uncertainty in CPS dynamics and the design process
- Bridging the Schism between Model-Based Design and Data-Driven Methods
 - A new design methodology for CPS that blends data-driven analytics with formal modeling and proof engines